PRINTED: 09/20/2012 FORM APPROVED

Division of Health Care Facilities STATEMENT OF DEFICIENCIES (X1) PROVIDER/SUPPLIER/CLIA (X3) DATE SURVEY (X2) MULTIPLE CONSTRUCTION AND PLAN OF CORRECTION IDENTIFICATION NUMBER: COMPLETED A. BUILDING B. WING TN8206 09/10/2012 NAME OF PROVIDER OR SUPPLIER STREET ADDRESS, CITY, STATE, ZIP CODE 250 BELLEBROOK RD CAMBRIDGE HOUSE, THE BRISTOL, TN 37620 (X4) ID SUMMARY STATEMENT OF DEFICIENCIES PROVIDER'S PLAN OF CORRECTION (X5) COMPLETE DATE (EACH DEFICIENCY MUST BE PRECEDED BY FULL PRÉFIX (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE PREFIX REGULATORY OR LSC IDENTIFYING INFORMATION) TAG TAG DEFICIENCY) N 002 1200-8-6 No Deficiencies N 002 This Rule is not met as evidenced by: During complaint investigations #28625, #28614, #29677, and #30298 conducted on September 4, 2012, at The Cambridge House, no deficiencies were cited under Chapter 1200-8-6, Standards for Nursing Homes. Division of Health Care Facilities

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

STATE FORM 6899

3LMM11

TITLE

If continuation sheet 1 of 1

(X6) DATE